




Yüksek Hızlı Endüstriyel Kapılar

Yüksek Hız Otomatik Kontrol Maksimum Koruma



PAW.
www.paw.com.tr

PAW.
www.paw.com.tr



Yüksek Hızlı Kapılar

İç Mekan Kapıları

Sarmal Kapılar / Paw-Roll	7-8
Konveyör Kapıları	9
Robot Kabin Kapıları / Paw-Robo	10
Fermuarlı Kapılar / Paw-Zipper	11
Acil Çıkışlı Kapılar	12
Kendini Tamir Eden Kapılar / Paw-Eagle	13-14
İzolasyonlu Kapılar / Paw-Izo	15-16

Dış Mekan Kapıları

Katlanır Kapılar / Paw-Flex	17-20
Hangar Kapıları / Paw-Maxi	21-22

Panelli Kapılar

Seksiyonel Kapılar	23
--------------------	----

Yükleme Sistemleri

Körük Sistemleri / Paw-Pax	24
Rampa Sistemleri / Paw-Pass	24

Yangına Dayanıklı Kapılar

Acil Çıkış Kapısı	25
Yana Kayar Yangın Kapısı	25
Sarmal Yangın Kapısı	25

Otomatik Kapılar

Panjur - Kepenk Sistemleri	26
Bariyer Sistemleri	27

Kapı Kontrol Sistemleri	28
-------------------------	----

Aksesuarlar	29-30
-------------	-------


Teknik Bilgiler	31-34
-----------------	-------



Ezer Kapı , ürettiği ve temin ettiği tüm ürünlerin fiziksel yaşamları boyunca emniyetli ve verimli bir şekilde kullanılmalarını sağlamak amacıyla, satış sonrası hizmetlerine çok önemli yatırımlar yapmaktadır.

Yurt içi ve dışında, ürettiği tüm kapılara, deneyimli ekipleri ile onarım hizmeti verebilen Ezer Kapı, bu ürünler için tüm yedek parça ihtiyaçlarına da yanıt verebilmektedir.

Hakkımızda



Ezer Otomatik Kapı firması üretimine başladığı günden beri, tescilli markası olan PAW yüksek hızlı kapı ürünlerini tüm Türkiye ve dünyadaki fabrikaların ve tesislerin iç ve dış mekanlarındaki performanslarından dolayı müşterilerinden yoğun ilgi görmüştür.

Partnerleri sayesinde, yurt dışı ve yurt içi pazarlarında geniş çaplı bir müşteri portföyüne hizmet vermekte olup, her geçen gün dünya çapında yeni pazarlara nüfuz ederek , sektördeki ciddiyetini ve kararlılığını korumaktadır.

Yüksek üretim kalitesi , en son teknolojiyi ekonomik ve en kullanılır hale getirmesi, hızlı üretim süresi, zamanında teslim, ekonomik yedek parça garantisi ve servisi firmamızın ana prensipleri olmuştur.

Dünyadaki değişimleri takip ederek üretimindeki gelişimini müşterilerine maksimum fayda ve uygun fiyatla yansıtmayı hedeflemiştir.PAW ürünlerindeki dizayn ve ekonomik farklılığının yanında, çevreye uyumlu olması ürünlerimizi ayrıcalıklı kılar.

Dünya pazarlarında her geçen gün PAW ürünlerine olan ilginin canlı tutulması için, rekabeti etik değerlere dayandırarak,müşteri memnuniyetini maksimum düzeyde geliştirmeyi, buna göre politikalar üretmeyi beklentilerini ve isteklerini algılamayı planlar ve eyleme dönüştürür.

EZER LTD ŞTİ'nin iş felsefesi sektöründe dayanıklı mal üretmek ,kendi yeni model ve dizaynları ile öncülük etmek,daha ileri gitmek,teknolojik gelişmeleri en üst seviyeye çıkarmak ve pazarlardaki en iyi rekabetçi fiyatları müşterilerine sunmaktır.





Yüksek Hızlı Kapılar





CE
EN-13241-1

ISO
9001:2008
REGISTERED



Tesisinizdeki endüstriyel kapılardan beklentiniz yoğun trafikte, zorlu ve değişken hava şartlarında çalışması, günde yüzlerce kez açılıp kapanması, zaman israfının azaltılması, hava akımlarının asgariye indirilmesi, mevcut alanınızın daha hijyen olması, görüntü ve gürültü kirliliğinin minimum seviyeye indirilmesi, ekonomik verimliliği arttırmak ise sizin kapınız Paw yüksek hızlı kapılar olmalıdır.




Paw-Roll

Yüksek Hızlı İç Mekan Kapıları



Paw-Roll yüksek hızlı sarmal kapılar yüksek ve güvenli sürdürülebilir fonksiyonlarıyla beraber malzeme kalitesiyle de dikkat çeker. Binalardaki iç ve dış geçişleri hızlandırır. Branda sisteminin yekpare olması sayesinde hijyen ortamlara uyumludur. Tesisinizin iç veya dış mekanlarında yüzlerce kez açılıp kapanmasını sağlar. Alternatif kapı sistemlerinde karşılaşılan hantal çalışma, zaman israfı ve enerji kaybı sorunlarını ortadan kaldırarak bir çok olumlu ekonomik birikimi sizlere sunar.

Emsallerinde bulunmayan kendine özgü alüminyum taşıyıcı ray aksamındaki çift yönlü kauçuk kanal contaları sayesinde yalnızca sızdırmazlığı asgariye indirmekle kalmaz sistemin performansını ve kullanım ömrünü en üst seviyeye taşır.



Modüler Alüminyum Profil



Paw-Roll

İlaç ve Gıda Sanayilerine Uygun Kapılar



Paw-Roll yüksek hızlı sarmal kapılar opsiyonel paslanmaz çelik yapıları sayesinde hijyenin ön planda da olduğu ilaç, kimya ve gıda sektöründe mükemmel çözümler sunarak steril bir çalışma ortamı sağlar.

Kapı sisteminin en belirgin özellikleri kapının kurulum yerlerinde en az yer kaybına ihtiyaç duyar, ve kapı geçiş alanınızı maksimum kullanma imkanı sağlar.



Rüzgar Koruma Boncuğu

Boyutlar	
Genişlik Max.	4.000
Yükseklik Max.	6.000
Hız	
Açma Max.	1,5 m/s
Kapama Max.	0,5 m/s



Pro Star Kontrol Ünitesi

Kabin
Paslanmaz Çelik

Koruma Sınıfı
IP 55 / (IP 65 Opsiyon) EN 60529

Çalışma Gerilimi
230V AC Tek Faz
400V AC 1/3Faz

Çalışma
Aç-Dur-Kapat
Acil Kapatma Butonu

Ekran
2x7 Kapı Bilgi Ekranı

Fonksiyonlar
Emniyet Ekipmanları
Bağlantı Girişleri
Otomatik veya Manuel
Kullanım Seçim
Otomatik Kapatma Zamanlama
Tam Açma ve Yarım Açma
Zamanlaması
Yalnız Açma ve Yalnız Kapama
Buton Seneceği
Dil Seçeneği
Kapı Çalışma Sayısı Bilgisi
Loop Dedektör Giriş Soketi
Hız Ayarlama Ekranı

Sertifika
EN 13241-1:2003

Bağlanabilir Ekipmanlar
Buton
İpli Swich Buton
Emniyet Fotoseli
Emniyet Boy Fotoseli
Kablosuz Dokunmantik Alt
Güvenlik
Radar Sistemi
Loop Dedektör
Uzaktan Kumanda Sistemi
Flaşör

İlave Bağlantı Girişleri
Kapı Açık-Kapalı Bilgi (Robot
ve Konveyör Uygulamaları)
Airlock Bağlantı Seçeneği
Trafik Işığı
Ekran ve Tuş Kilitleme
Sesli İkaz Flaşör Bağlantısı
Frenleme Direnci (Akım Kesici)
Anticrash Sistem Bağlantı Girişi

Kablo Sistemi
230V AC Faz-Notr-Toprak Girişi
400V AC 3Faz-Notr-Toprak Girişi
1 Adet 10 A - 3 Adet 1 A Koruma
Sigortası
Motor-Kontrol Ünitesi Arası
5x1mm TTR Kablo
Switch-Kontrol Ünitesi Arası
5x1mm TTR Kablo

Pano Ölçüsü
300x400x190 mm



Pro R1 A Kontrol Ünitesi

Kabin
Paslanmaz Çelik

Koruma Sınıfı
IP 55 EN 60529

Çalışma Gerilimi
230V AC Tek Faz

Çalışma
Aç-Dur-Kapat
Acil Kapatma Butonu

Ekran
2x7 Kapı Bilgi Ekranı

Fonksiyonlar
Emniyet Ekipmanları
Bağlantı Girişleri
Otomatik veya Manuel
Kullanım Seçim
Otomatik Kapatma Zamanlama
Tam Açma ve Yarım Açma
Zamanlaması
Yalnız Açma ve Yalnız Kapama
Buton Seneceği
Dil Seçeneği
Kapı Çalışma Sayısı Bilgisi
Kilitli Enerji Anahtarı
Hız Ayarlama Ekranı

Sertifika
EN 13241-1:2003

Bağlanabilir Ekipmanlar
Buton
İpli Swich Buton
Emniyet Fotoseli
Emniyet Boy Fotoseli
Kablosuz Dokunmantik Alt
Güvenlik
Radar Sistemi
Loop Dedektör
Uzaktan Kumanda Sistemi
Flaşör

İlave Bağlantı Girişleri
Kapı Açık-Kapalı Bilgi (Robot
ve Konveyör Uygulamaları)
Airlock Bağlantı Seçeneği
Trafik Işığı
Ekran ve Tuş Kilitleme
Sesli İkaz Flaşör Bağlantısı
Anticrash Sistem Bağlantı Girişi

Kablo Sistemi
230V AC Faz-Notr-Toprak Girişi
1 Adet 10 A - 3 Adet 1 A Koruma
Sigortası
Motor-Kontrol Ünitesi Arası
5x1mm TTR Kablo
Switch-Kontrol Ünitesi Arası
5x1mm TTR Kablo

Pano Ölçüsü
300x400x195 mm



Eko R5 Kontrol Ünitesi

Kabin
Plastik Gövde

Koruma Sınıfı
IP 55 / (IP 66 Opsiyon) EN 60529

Çalışma Gerilimi
400V AC 1/3Faz

Çalışma
Aç-Kapat
Acil Kapatma Butonu

Ekran
Yok

Fonksiyonlar
Emniyet Ekipmanları
Bağlantı Girişleri
Otomatik veya Manuel
Kullanım Seçim
Otomatik Kapatma Zamanlama
Tam Açma ve Yarım Açma
Zamanlaması
Yalnız Açma ve Yalnız Kapama
Buton Seneceği

Sertifika
EN 13241-1:2003

Bağlanabilir Ekipmanlar
Buton
İpli Swich Buton
Emniyet Fotoseli
Emniyet Boy Fotoseli
Kablosuz Dokunmantik Alt
Güvenlik
Radar Sistemi
Loop Dedektör
Uzaktan Kumanda Sistemi
Flaşör

İlave Bağlantı Girişleri
Kapı Açık-Kapalı Bilgi (Robot
ve Konveyör Uygulamaları)
Airlock Bağlantı Seçeneği
Trafik Işığı
Sesli İkaz Flaşör Bağlantısı
Anticrash Sistem Bağlantı Girişi

Kablo Sistemi
400V AC 3 Faz-Notr-Toprak Girişi
1 Adet 10 - 2 Adet 1 A Koruma
Sigortası
Motor-Kontrol Ünitesi Arası
5x1mm TTR Kablo
Switch-Kontrol Ünitesi Arası
5x1mm TTR Kablo

Pano Ölçüsü
250x330x130 mm



Maxi X2014 PLC Kontrol Ünitesi

Kabin
Çelik

Koruma Sınıfı
IP 55 / (IP 65 Opsiyon) EN 60529

Çalışma Gerilimi
400V AC 3 Faz

Çalışma
Aç-Dur-Kapat
Acil Kapatma Butonu

Ekran
Opsiyon

Fonksiyonlar
Emniyet Ekipmanları
Bağlantı Girişleri
Otomatik veya Manuel
Kullanım Seçim
Otomatik Kapatma Zamanlama
Yalnız Açma ve Yalnız Kapama
Buton Seneceği
Loop Dedektör Giriş Soketi
PS/2 FC Bağlantısı

Sertifika
EN 13241-1:2003

Bağlanabilir Ekipmanlar
Buton
İpli Swich Buton
Emniyet Fotoseli
Emniyet Boy Fotoseli
Kablosuz Dokunmantik Alt
Güvenlik
Radar Sistemi
Loop Dedektör
Uzaktan Kumanda Sistemi
Flaşör

İlave Bağlantı Girişleri
Kapı Açık-Kapalı Bilgi (Robot
ve Konveyör Uygulamaları)
Airlock Bağlantı Seçeneği
Trafik Işığı
Sesli İkaz Flaşör Bağlantısı
PLC İlave Destek Bilgi Girişi

Kablo Sistemi
400V AC 3 Faz-Notr-Toprak Girişi
1 Adet 6 A - 2 Adet 2 A Koruma
Sigortası

Pano Ölçüsü
400x500x200 mm



Motor Sistemi

Tipi
S1/Class Yoğun Çalışma

Koruma Sınıfı
IP 55

Çalışma Gerilimi
230V / 400V AC

Çalışma Gücü
0.75 /.. / 5.5 KW

Çalışma Akım
3.6 /.. / 10A


Sertifika
IEC 34-1 / CEI-IEC 72-1
ISO 9001 (2000)
UNI EN 30012

Fren
230V DC Manyetik Tip

Redüktör
Nm20-691 / Kw0.18-7.5 /
i 7-100
EC Machinery Directive
2006/42/EC

Aksesuarlar

Yönetim ve Kontrol Opsiyonları



Uzaktan Kontrol




2 Kanallı
Uzaktan
Kumanda



868 Mhz
2 Kanallı Uzaktan
Kumanda



4 Kanallı
Uzaktan
Kumanda



El Butonları



Tekli Açma
Butonu, IP 65




Açma-Kapama
Butonu, IP 65



Mantar
Buton, IP 65




El Sensörü
IP 65



Elle Açma




İpli Swich
IP 65



Manyetik Açma



Loop Dedektör




Uzaktan Açma



Radar Hareket
Dedektörü
IP 65



Kızılötesi Hareket
Dedektörü
IP 65



İkaz Lambaları



Kırmızı-Yeşil
İkaz Lambası
IP 65




Sirenli Flaşör
IP 65



Yeşil İkaz
Lambası
IP 65



Kırmızı İkaz
Lambası
IP 65



Kapı Güvenlik
Sistemleri



Fotosel



Boy Fotoseli

Renk Seçenekleri

Standart




* İsteğe Bağlı Özel Renkler Opsiyon Olup, RAL Kodlarına Göre Seçilmelidir.

Teknik Bilgiler

- Standart
- Opsiyonel
- x Mevcut Değil

	Sarmal		
	S-1	S-5	S-6
Maksimum Geçiş	4.000 x 6.000	4.000 x 6.000	4.000 x 6.000
Motor Gücü	0.75 / 1.5 kw	0.75 / 1.5 kw	0.75 / 1.5 kw
Motor Voltajı	400 V. AC. 50 / 60 Hz	230 V. AC. 50 / 60 Hz	230/400 V. AC. 50/60 Hz
Kontrol Paneli	IP 65	IP 55 LCD Ekran	IP 55 LCD Ekran
Hız Sürücüsü		0.75 / 1.5 kw	0.75 / 1.5 kw
Açılma Hızı	0.70 m / sn.	0.70 m/sn. -1.30 m/sn.	0.70 m / sn. -2.00 m/sn.
Kapanma Hızı	0.70 m / sn.	0.70 m / sn.	0.50 m / sn.±
Sigorta Koruması	16 A	16 A	16 A
Branda Kalınlığı	0.8 / (●1.5) mm	0.8 / (●1.5) mm	0.8 / (●1.5) mm
Branda Isı Dayanımı	-30 + 70°C	-30 + 70°C	-30 + 70°C
Rüzgar Dayanımı	Class 1/2	Class 1/2	Class 1/2
Taşıyıcı Ray Sistemi	Galvaniz Çelik	Alüminyum	Alüminyum
Paslanmaz Çelik Ray	○	○	○
Alt Güvenlik Sistemi	○	○	○
Güvenlik Fotoseli	● 1 Takım	● 1 Takım	● 1 Takım
Anti-Crash Sistemi	○	○	○
İpli Switch	○	○	○
Loop Detector	○	○	○
İlave Fotosel	○	○	○
Boy Fotoseli	○	○	○
Interlock Sistemi	●	●	●
Radar	○	○	○
Eİ Yaklaşım Sensörü	○	○	○
Uzaktan Kumanda Sist.	○	○	○
İlave Buton	○	○	○
İkaz Flaşörü	○	○	○
Trafik Lambası	○	○	○
Motor Kapağı	○	○	○
Ön Kapak	○	○	○
Manuel Kol	●	●	●
Yaylı Acil Çıkış Sistemi	○	○	○





1 Sarmal Kapılar
Paw-Roll



2 Fermuarlı Kapılar
Paw-Zipper



3 Acil Çıkışlı Kapılar



4 Kendini Tamir Eden Kapılar
Paw-Eagle



5 İzolasyolu Kapılar
Paw-İzo



6 Katlanır Kapılar
Paw-Flex




7 Hangar Kapılar
Paw-Maxi




8 Seksiyonel Kapılar

Paw Endüstriyel Kapıların Tesis İçerisinde Kullanım Alanları





9 Körük Sistemleri
Paw-Pax



10 Rampa Sistemleri
Paw-Pass



11 Acil Çıkış Kapıları



12 Yana Kayar Yangın Kapıları



13 Panjur-Kepen Sistemleri



14 Bariyer Sistemleri



ALSTOM

AREVA

Dear

We as Areva, have worked with EZER AUTOMATIC DOOR COMPANY for the past 10 (ten) years. We hereby thank you for your efforts and cooperation for the products and services high speed doors under their registered trademark of PAW, you have supplied during these years.

It is our pleasure to inform you that we would like to continue supplying your products and services in the future to strengthen our good business relations.

With Kind Regards,



YAD
AREVA T&E Group Endüstriyel A.Ş. İstasyon Yolu, E.İ.46, 107. Sok. No:104, 41410 Odaş - Kocaeli / TÜRKİYE
Tic. Sic. No: 266600, Mers: 0810001, Tel: +90 262 661 3000

Bayer HealthCare

BAYER

To Whom It May Concern:

It gives me great pleasure to recommend EZER AUTOMATIC DOOR COMPANY to your firm. I have worked with EZER AUTOMATIC DOOR COMPANY for the past 7 years. In that time, they have provided us services related to the manufacturing, sales and installation of high speed doors under their registered trademark of PAW.

I recommend them with enthusiasm, and if given the opportunity, would hire them again for future work.

Sincerely,



caneforum

To Whom It May Concern:

It gives me great pleasure to recommend EZER AUTOMATIC DOOR COMPANY to your firm. I have worked with EZER AUTOMATIC DOOR COMPANY for the past 3 (three) years. In that time, they have provided us services related to the manufacturing, sales and installation of high speed doors under their registered trademark of PAW.

I recommend them with enthusiasm, and if given the opportunity, would hire them again for future work.

Sincerely,



caneforum
caneforum İnşaat ve Ticaret A.Ş.
Nispetiye Mah. 1. Kat: 34390 Beşiktaş / İstanbul
Tic. Sic. No: 270900, Mers: 0810001, Tel: +90 212 333 3333

Cargill

To Whom It May Concern:

It gives me great pleasure to recommend EZER AUTOMATIC DOOR COMPANY to your firm. I have worked with EZER AUTOMATIC DOOR COMPANY for the past 2009 year. In that time, they have provided us services related to the manufacturing, sales and installation of high speed doors under their registered trademark of PAW.

I recommend them with enthusiasm, and if given the opportunity, would hire them again for future work.

Sincerely,



Depth Team ve Data Sun. Tic. A.Ş.
Nispetiye Mah. Arslanlar Cad. No: 1 / 35090 Beşiktaş / İstanbul
Tic. Sic. No: 270900, Mers: 0810001, Tel: +90 212 333 3333

DHL

ESSEL SUPPLY CHAIN

TO WHOM IT MAY CONCERN

Dear Sirs,

As DHL, Supply Chain Turkey, we have been cooperating with Ezer Otomatik Kapı Sistemleri Ltd. - PAW for almost 11 years for all sizes of sectional, high speed PVC and insulated PVC doors, dock shelters and maintenance-repairing of dock levelers.

In my involvement with DHL Supply Chain Turkey, I have found the company and individuals within Ezer Otomatik Kapı Sistemleri Ltd. open for discussion, willing to accept both criticism and acknowledgement of work well done. I have found them both diligent and genuinely interested in the projects that they have been awarded in all competitive tenders.

Acting in my role of Technical, Quality Assurance and Corporate Social Responsibility Director, I have no hesitation in stating that I would recommend Ezer Otomatik Kapı Sistemleri Ltd. on all major DHL Supply Chain Turkey Projects in the future and to include them on future tender lists.

Yours faithfully,



Dr. Hakan Kaya
DHL Supply Chain Turkey
Tic. Sic. No: 270900, Mers: 0810001, Tel: +90 212 333 3333

PERFETTI

van Helle

To Whom It May Concern:

It gives me great pleasure to recommend EZER AUTOMATIC DOOR COMPANY to your firm. I have worked with EZER AUTOMATIC DOOR COMPANY for the past 15 years. In that time, they have provided us services related to the manufacturing, sales and installation of high speed doors under their registered trademark of PAW.

I recommend them with enthusiasm, and if given the opportunity, would hire them again for future work.

Sincerely,



PERFETTI VAN HELLE
Nispetiye Mah. 1. Kat: 34390 Beşiktaş / İstanbul
Tic. Sic. No: 270900, Mers: 0810001, Tel: +90 212 333 3333

BOYÇOK MATBAACILIK
AMBALAJ SANAYİ VE TİCARET A.Ş.

TO WHOM IT MAY CONCERN

Dear Sirs

As ALCAN Packaging Istanbul Supply Chain Turkey, we have been cooperating with Ezer Automatic Door Company-PAW for almost 9 years for all sizes of High Speed Doors installed and maintenance and repairing.

In my involvement with ALCAN Packaging Turkey, I have found the company and individuals within Ezer Automatic Door Company open for discussion, willing to accept both criticism and acknowledgement of work well done. I have found them both diligent and genuinely interested in the projects that they have been awarded in all competitive tenders.

Acting in my role of Maintenance Manager, I have no hesitation in stating that I would recommend Ezer Automatic Doors-PAW High Speed Doors on all major ALCAN PACKAGING projects in the future and to include them on future tender lists.



Boçuk Matbaacılık
Nispetiye Mah. 1. Kat: 34390 Beşiktaş / İstanbul
Tic. Sic. No: 270900, Mers: 0810001, Tel: +90 212 333 3333

SANDOZ

Sandoz Group English (Global) Turkey
Sandoz Türkiye A.Ş.
Nispetiye Mah. 1. Kat: 34390 Beşiktaş / İstanbul
Tic. Sic. No: 270900, Mers: 0810001, Tel: +90 212 333 3333

To Whom It May Concern:

It gives me great pleasure to recommend EZER AUTOMATIC DOOR COMPANY to your firm. I have worked with EZER AUTOMATIC DOOR COMPANY for the past 6 (six) years. In that time, they have provided us services related to the manufacturing, sales and installation of high speed doors under their registered trademark of PAW.

I recommend them with enthusiasm, and if given the opportunity, would hire them again for future work.

Sincerely,



Sandoz Group English (Global) Turkey
Sandoz Türkiye A.Ş.
Nispetiye Mah. 1. Kat: 34390 Beşiktaş / İstanbul
Tic. Sic. No: 270900, Mers: 0810001, Tel: +90 212 333 3333

unipro

To Whom It May Concern:

It gives me great pleasure to recommend EZER AUTOMATIC DOOR COMPANY to your firm. I have worked with EZER AUTOMATIC DOOR COMPANY for the past four (4) years. In that time, they have provided us services related to the manufacturing, sales and installation of high speed doors under their registered trademark of PAW.

I recommend them with enthusiasm, and if given the opportunity, would hire them again for future work.

Sincerely,



unipro
Nispetiye Mah. 1. Kat: 34390 Beşiktaş / İstanbul
Tic. Sic. No: 270900, Mers: 0810001, Tel: +90 212 333 3333

LGAI Technologies Center S.A.
Campus 96 14. ÜBİ
Nispetiye Mah. Yıldırım Beyazıt
E - 03333 Sarıyer (İstanbul)
T + 90 212 501 00 00
F + 90 212 501 00 00
www.applus.com.tr

Applus[®]

CERTIFICATE

Nr. **CPY-0382**

CE SIMPLIFIED TEST REPORT

Nr. **15/17980-0478/9**

System: 07 November 2023 Page 1/1

Applicant Reference: EZER OTOMATİK KAPI SİSTEMLERİ LTD. ŞTİ.
Sarıyer Mah. Yıldırım Beyazıt
Cad. No: 7 Kat: B-1
34097 Sarıyer - Sarıyer
Türkiye

Test Place: EZER OTOMATİK KAPI SİSTEMLERİ LTD. ŞTİ.
Sarıyer Mah. Yıldırım Beyazıt
Cad. No: 7 Kat: B-1
34097 Sarıyer - Sarıyer
Türkiye

Test Date: 07 October 2023

CERTIFICATE OF THE FACTORY PRODUCTION CONTROL FOR THE CE MARKING

APPLUS+ LGAI certifies that it has performed a technical inspection of the Factory Production Control (FPC) for the company **EZER OTOMATİK KAPI SİSTEMLERİ LTD. ŞTİ.** located in Sarıyer Mah. Yıldırım Beyazıt Cad. No: 7 Kat: B-1 Sarıyer - İstanbul (TÜRKİYE), whose result shows that the factory production control of "PVC INDUSTRIAL AND GARAGE DOORS" the features of which are hereunder specified, complies with the requirements specified in the standard EN 13241-1:2003+A1:2011

Scope:

1. Organization
2. Process control
3. Production management
4. Inspection and test
5. Records
6. Non-conforming product control
7. Handling, storage and conditioning of the production sites
8. Transport and packaging
9. Staff training

CE SIMPLIFIED TEST REPORT

Nr. **15/17980-0478/9**

TESTED MATERIAL: A FLEXIBLE COLOURED ROLL-UP TYPE WITH SPRING DOOR, WITH VERTICAL MOVING, FOR INDUSTRIAL, COMMERCIAL AND RESIDENTIAL USE, AS A CONFORMAL TYPE OF FPCP (FLEX) DOOR, WITH VERTICAL MOVING (Frame included) of 2000 x 2000 mm (Height x Width). Type of power operation activation mode by AUTOMATIC CONTROL, or by MANUAL ACTIVATION (on left or right or top of the door).

TEST REQUESTER: Ezer Otomatik Kapı Sistemleri Ltd. Şti. Sarıyer Mah. Yıldırım Beyazıt Cad. No: 7 Kat: B-1 Sarıyer - Sarıyer - Türkiye

CLASSIFICATION: Tested door is according to the last requested following the classification:

Characteristics	Requirements (EN 13241-1:2003+A1:2011)	Test Results
Control system: automatic doors	EN 13241-1:2003+A1:2011	Pass
Self-closing in vertically moving doors	EN 13241-1:2003+A1:2011	Pass
Self-closing in horizontally moving doors	EN 13241-1:2003+A1:2011	Pass
Resistance to wind load	EN 13241-1:2003+A1:2011	Class 2 (100 Pa)
Door Seal	EN 13241-1:2003+A1:2011	Class 4 (100 Pa)

TESTED MATERIAL: A FLEXIBLE COLOURED ROLL-UP TYPE WITH SPRING DOOR, WITH VERTICAL MOVING, FOR INDUSTRIAL, COMMERCIAL AND RESIDENTIAL USE, AS A CONFORMAL TYPE OF FPCP (FLEX) DOOR, WITH VERTICAL MOVING (Frame included) of 2000 x 2000 mm (Height x Width). Type of power operation activation mode by AUTOMATIC CONTROL, or by MANUAL ACTIVATION (on left or right or top of the door).

TEST REQUESTER: Ezer Otomatik Kapı Sistemleri Ltd. Şti. Sarıyer Mah. Yıldırım Beyazıt Cad. No: 7 Kat: B-1 Sarıyer - Sarıyer - Türkiye

CLASSIFICATION: Tested door is according to the last requested following the classification:

Characteristics	Requirements (EN 13241-1:2003+A1:2011)	Test Results
Control system: automatic doors	EN 13241-1:2003+A1:2011	Pass
Self-closing in vertically moving doors	EN 13241-1:2003+A1:2011	Pass
Self-closing in horizontally moving doors	EN 13241-1:2003+A1:2011	Pass
Resistance to wind load	EN 13241-1:2003+A1:2011	Class 2 (100 Pa)
Door Seal	EN 13241-1:2003+A1:2011	Class 4 (100 Pa)

PRODUCT: PVC INDUSTRIAL AND GARAGE DOORS TRADEMARK: FOLD-UP (FLEX) PVC DOOR, ROLL-UP PVC DOOR, EAGLE PVC DOOR.

EN 13241-1:2003+A1:2011: Industrial, commercial and garage doors and gates - Product standard - Part 1: Products without fire resistance or smoke control characteristics

Manufactured in: EZER OTOMATİK KAPI SİSTEMLERİ LTD. ŞTİ. Sarıyer Mah. Yıldırım Beyazıt Cad. No: 7 Kat: B-1 Sarıyer - İstanbul (TÜRKİYE)

This certificate has direct traceability with the APPLUS+ inspection report included in the file 14/32300049 when the scope and result of the inspection performed are specified.

This certificate is valid until 24th January 2015

Signature, 24th January 2014

Applus[®]

Xavier Ruiz Peña
Product Conformity E.U., Managing Director

LGAI Technologies Center S.A.
Campus 96 14. ÜBİ
Nispetiye Mah. Yıldırım Beyazıt
E - 03333 Sarıyer (İstanbul)
T + 90 212 501 00 00
F + 90 212 501 00 00
www.applus.com.tr

Applus[®]

CERTIFICATE

Nr. **CPY-0382**

CE SIMPLIFIED TEST REPORT

Nr. **15/17980-0478/9**

System: 07 November 2023 Page 1/1

Applicant Reference: EZER OTOMATİK KAPI SİSTEMLERİ LTD. ŞTİ.
Sarıyer Mah. Yıldırım Beyazıt
Cad. No: 7 Kat: B-1
34097 Sarıyer - Sarıyer
Türkiye

Test Place: EZER OTOMATİK KAPI SİSTEMLERİ LTD. ŞTİ.
Sarıyer Mah. Yıldırım Beyazıt
Cad. No: 7 Kat: B-1
34097 Sarıyer - Sarıyer
Türkiye

Test Date: 07 October 2023

CERTIFICATE OF THE FACTORY PRODUCTION CONTROL FOR THE CE MARKING

APPLUS+ LGAI certifies that it has performed a technical inspection of the Factory Production Control (FPC) for the company **EZER OTOMATİK KAPI SİSTEMLERİ LTD. ŞTİ.** located in Sarıyer Mah. Yıldırım Beyazıt Cad. No: 7 Kat: B-1 Sarıyer - İstanbul (TÜRKİYE), whose result shows that the factory production control of "PVC INDUSTRIAL AND GARAGE DOORS" the features of which are hereunder specified, complies with the requirements specified in the standard EN 13241-1:2003+A1:2011

Scope:

1. Organization
2. Process control
3. Production management
4. Inspection and test
5. Records
6. Non-conforming product control
7. Handling, storage and conditioning of the production sites
8. Transport and packaging
9. Staff training

CE SIMPLIFIED TEST REPORT

Nr. **15/17980-0478/9**

TESTED MATERIAL: A FLEXIBLE COLOURED ROLL-UP TYPE WITH SPRING DOOR, WITH VERTICAL MOVING, FOR INDUSTRIAL, COMMERCIAL AND RESIDENTIAL USE, AS A CONFORMAL TYPE OF FPCP (FLEX) DOOR, WITH VERTICAL MOVING (Frame included) of 2000 x 2000 mm (Height x Width). Type of power operation activation mode by AUTOMATIC CONTROL, or by MANUAL ACTIVATION (on left or right or top of the door).

TEST REQUESTER: Ezer Otomatik Kapı Sistemleri Ltd. Şti. Sarıyer Mah. Yıldırım Beyazıt Cad. No: 7 Kat: B-1 Sarıyer - Sarıyer - Türkiye

CLASSIFICATION: Tested door is according to the last requested following the classification:

Characteristics	Requirements (EN 13241-1:2003+A1:2011)	Test Results
Control system: automatic doors	EN 13241-1:2003+A1:2011	Pass
Self-closing in vertically moving doors	EN 13241-1:2003+A1:2011	Pass
Self-closing in horizontally moving doors	EN 13241-1:2003+A1:2011	Pass
Resistance to wind load	EN 13241-1:2003+A1:2011	Class 2 (100 Pa)
Door Seal	EN 13241-1:2003+A1:2011	Class 4 (100 Pa)

TESTED MATERIAL: A FLEXIBLE COLOURED ROLL-UP TYPE WITH SPRING DOOR, WITH VERTICAL MOVING, FOR INDUSTRIAL, COMMERCIAL AND RESIDENTIAL USE, AS A CONFORMAL TYPE OF FPCP (FLEX) DOOR, WITH VERTICAL MOVING (Frame included) of 2000 x 2000 mm (Height x Width). Type of power operation activation mode by AUTOMATIC CONTROL, or by MANUAL ACTIVATION (on left or right or top of the door).

TEST REQUESTER: Ezer Otomatik Kapı Sistemleri Ltd. Şti. Sarıyer Mah. Yıldırım Beyazıt Cad. No: 7 Kat: B-1 Sarıyer - Sarıyer - Türkiye

CLASSIFICATION: Tested door is according to the last requested following the classification:

Characteristics	Requirements (EN 13241-1:2003+A1:2011)	Test Results
Control system: automatic doors	EN 13241-1:2003+A1:2011	Pass
Self-closing in vertically moving doors	EN 13241-1:2003+A1:2011	Pass
Self-closing in horizontally moving doors	EN 13241-1:2003+A1:2011	Pass
Resistance to wind load	EN 13241-1:2003+A1:2011	Class 2 (100 Pa)
Door Seal	EN 13241-1:2003+A1:2011	Class 4 (100 Pa)

PRODUCT: PVC INDUSTRIAL AND GARAGE DOORS TRADEMARK: FOLD-UP (FLEX) PVC DOOR, ROLL-UP PVC DOOR, EAGLE PVC DOOR.

EN 13241-1:2003+A1:2011: Industrial, commercial and garage doors and gates - Product standard - Part 1: Products without fire resistance or smoke control characteristics

Manufactured in: EZER OTOMATİK KAPI SİSTEMLERİ LTD. ŞTİ. Sarıyer Mah. Yıldırım Beyazıt Cad. No: 7 Kat: B-1 Sarıyer - İstanbul (TÜRKİYE)

This certificate has direct traceability with the APPLUS+ inspection report included in the file 14/32300049 when the scope and result of the inspection performed are specified.

This certificate is valid until 24th January 2015

Signature, 24th January 2014

Applus[®]

Xavier Ruiz Peña
Product Conformity E.U., Managing Director



ISO
9001:2008
REGISTERED



**Ezer Otomatik Kapı
Sistemleri Ltd. Şti.**

Osmangazi Mah. Yıldırım Beyazıt Cad. No:7 B-1
34887 Samandıra - Sancaktepe / İstanbul / Türkiye
T: +90 216 311 83 00 (pbx) F: +90 216 311 49 00
www.pawdoors.com • www.ezerkapi.com.tr

